

Discomatic Mambo
Powerful. Sleek. Revolutionary.

wetrok®

Discomatic Mambo: Power with rhythm and verve

It looks good, and has an almost unbridled temperament. The Discomatic Mambo literally shines on smaller to medium-sized areas with a performance that is good enough for Hollywood and bypasses obstacles in slightly cluttered rooms with agility and elegance. It still looks good despite the 30 litre fresh water tank: It is indeed the most compact scrubber-drier in this category. Thanks to its robust construction and innovative internals the Discomatic Mambo masters the toughest cleaning tasks with verve and endurance. And it can be operated ever so easily, with only four control buttons.





Intuitive operation.
The clearly laid out control panel with just four control buttons makes operation of the machine easy and safe. If the optional dosage system has been included then the cleaning chemicals are automatically dosed correctly when the amount of water is set. It is also possible to change the amount of water at any time during operation. Brushing and suction can be activated at the press of a button.



An assured electric power supply: a powerful LiFePo battery.
The lithium-ion battery gives a constant and high output in all charge states. Thanks to its high charging capacity the battery provides more capacity per charge. In addition, it has a working life that is up to four times as long as that of conventional rechargeable batteries.



No stopping during the cleaning: water under control.
Although you cannot see it the Mambo has a 30 litre fresh water tank to allow for longer cleaning sessions at one go. The water feed is not subject to fluctuations and can be regulated from the control panel by the water pump that is built in as standard.



Cleaning technology in top form: a proven disk brush system.
The two disk brushes guarantee flawless cleaning results. They make it easier to handle the machine by supporting the forward motion of the machine and keeping it precisely on course.





Cleaning technology under control: ergonomics and manoeuvrability.

The upright handle of the Mambo is continuously adjustable and can be set to match the size of the operator and the situation even while the machine is running. In this way this compact machine can master manoeuvres even in tight areas and corners where other machines are too big to get in close. The amount of space required for transport or to put away the machine is considerably less.



Just the right mix: automatic dosage system.

If the customer wishes it the Mambo can be equipped with a fully integrated dosage system. This can be activated at the press of a button and ensures that the amounts of fresh water and cleaning chemicals are always matched optimally to one another; this gives convincing cleaning results both from an economic as well as an ecological point of view.



Rolling from job to job: extending support wheel.

The Mambo is extremely easy to transport from one location to another for work. Once the job has been done it automatically extends its support wheel to raise the machine and to literally play a supporting role.

Discomatic Mambo: save time and money with high tech

- **Efficient cleaning with a minimal use of personnel: the Discomatic Mambo gives excellent cleaning results on smaller and medium-sized areas within a short time.**
- **Money that is well invested: the robust construction and the reliable technology of the Discomatic Mambo reduce the maintenance intervals and provide a guarantee of a long working life.**
- **Economy and ecology in harmony: the Discomatic Mambo reduces the amount of fresh water, chemical cleaning products and energy consumed to the bare minimum that is required.**



	Discomatic Mambo	Discomatic Mambo Dosing		Discomatic Mambo Cable
Type	**with brushes**	**with brushes**	**with pads**	**with brushes**
Item no.	50.025	50.026	50.028	50.027
Basic version				
LiFePo battery 25.6 V	●	●	●	–
Internal charger	●	●	●	–
Suction nozzle complete	●	●	●	●
Sealing lip front RS 55 Para	●	●	●	●
Squeegee rear RS 55 Para	●	●	●	●
Dosage system complete	–	●	●	–
Optional extras				
2 Scrubbing brushes Polyprop.	●	●	–	●
Pad drive disk	–	–	●	–
Splash guard	–	–	●	–
Technical data				
Theoretical area coverage	1720 m²/h			
Working width	430 mm			
Total length	950 mm			
Total width	580 mm			
Suction width	550 mm			
Total height	1120 mm			
Ground clearance	730 mm			
Fresh water tank	30 l			
Recovery tank	32 l			
Weight (incl. batteries)	63 kg	63 kg		–
Weight (without battery)	53 kg	53 kg		56 kg
Brush pressure	28kg/0.45 N/cm²	28kg/0.45 N/cm²		23kg/0.37 N/cm²
Rated voltage	24 V DC	24 V DC		230 V AC
Battery capacity	25.6 V AC	25.6 V AC		–
Battery life	2.5 h	2.5 h		–
Power cable length	–	–		20 m

Wetrok AG Steinackerstrasse 62, CH-8302 Kloten
Tel. +41 43 255 51 51, Fax +41 43 255 53 79

Wetrok Austria GmbH Kolpingstrasse 18, A-1230 Wien
Tel. 0800 20 48 68, Fax 0800 20 48 78

Wetrok GmbH Maybachstrasse 35, D-51381 Leverkusen
Tel. +49 2171 398-0, Fax +49 2171 398-100

Wetrok Polska S.A. ul. Łączyny 4, PL-02-820 Warszawa
Tel. +48 22 331 20 50, Fax +48 22 331 20 60

Wetrok AB Bergkällavägen 32, SE-192 79 Sollentuna
Tel. +46 8 444 34 00, Fax +46 8 444 34 01

www.wetrok.com

© Copyright by Wetrok AG, 05/2015